

DoD Space Planning Criteria for Health Facilities
Preventive Medicine

FUNCTION	ROOM CODES	AUTHORIZED	PLANNING RANGE/COMMENTS
----------	------------	------------	-------------------------

SPACE CRITERIA:

Toilets, Lounges and Locker Areas: The criteria for toilets, lounges and locker rooms are provided in Section 6.

Administrative Offices: The office space required to provide administrative support to operate the clinic services will be provided in accordance with criteria for administration in Section 2.1.

NOTE: GP indicates that a guideplate exists for that particular Room Code.

Preventive Medicine Chief's Office	OFA01	11.15	120	Single office, Standard Furniture. 1 per Chief, Preventive Medicine activity programmed
	OFA02			Single office, System Furniture
Environmental Engineer's Office	OFA01	11.15	120	One per FTE programmed
	OFA02			
Environmental Sanitarian's Office	OFA01	11.15	120	One per FTE programmed
	OFA02			
Medical Entomologist Office	OFA01	11.15	120	One per FTE programmed
	OFA02			
Nuclear Medical Science Officer's Officer	OFA01	11.15	120	One per FTE programmed
	OFA02			
Health Physics Technicians Officer Cubicle	OFA03	5.57	60	System Furniture, Cubicles. 1 per technician
Health Assistant Office	OFA01	11.15	120	One per FTE programmed
	OFA02			
PVT MED Specialist Cubicle	OFA03	5.57	60	One per Technician programmed
Literature/ Forms Storage	FILE1		80	One per activity. Share with Health Nurse
Secretary/Clerk	SEC02	11.15	120	One per section
Safety Officer/NCO	OFA01	11.15	120	One per safety officer/NCO programmed
	OFA02			
Industrial Hygienist Cubicle	OFA03	5.57	60	One per FTE programmed
Industrial Hygiene Lab	LBIH1	9.29	100	One per activity
Water Lab	LBWA1	9.29	100	One per activity
Entomolgy Lab	LBEN1	23.23	250	
Nuclear Medical Science Lab	LBRP1	13.94	150	When Nuclear Medicine Science Officer authorized. W/shield for Walls/ Doors /Ceilings /Floor as appropriate

Aerospace, Aviation, and Submarine Medicine

Treatment Room (GP)	TRGM1	16.26	175	One per clinic
Optometrist's Eye Exam and Office (GP)	EYEL1	17.19	185	One room per Optometrist programmed
	EYEL2	15.79	170	

DoD Space Planning Criteria for Health Facilities
Preventive Medicine

FUNCTION	ROOM CODES	AUTHORIZED	PLANNING RANGE/COMMENTS
----------	------------	------------	-------------------------

Occupational Health/Civilian Employee Health Clinic

Audiobooth (GP)	PEHS1	11.15	120	One-man double wall booth
	PEHS2	34.84	375	Four-man double wall booth
	PEHS3	34.84	375	Six-man double wall booth
Screening Eye Test (GP)	EYVS1	11.15	120	One per clinic
Secure Area for Health Record Storage	MRS01		Varies	One per clinic. see section 2.5
Clerk/Secretary Office	SEC01	11.15	120	Minimum of 60 nsf per FTE assigned
Interviewing & Counseling Room	OFA01	11.15	120	One per 2 nurses assigned
	OFA02			

Industrial Hygiene, Environmental and Bioenvironmental Sciences

Preventive Medicine Office	OFA01	11.15	120	One per FTE programmed
	OFA02			
Health Nurse Environmental Engineer (GP)	OFD01	11.15	120	One per FTE programmed
Environmental Sanitarian Cubicle	OFA03	5.57	60	One per FTE programmed
Medical Entomologist Cubicle	OFA03	5.57	60	One 1 per FTE programmed
Nuclear Medical Science Office	OFA03	11.15	120	One per FTE programmed
NCOIC	OFA01	11.15	120	One per FTE programmed
	OFA02			
Health Assistant Cubicle	OFA03	5.57	60	One per FTE programmed
PVT MED Specialist Cubicle	OFA03	5.57	60	One per FTE programmed