

NOTES

1. ALL PATIENT DRESSING ROOMS SHALL BE HANDICAPPED ACCESSIBLE.

KEY NOTES

1. MOUNT A5145, HOOK, AT 1372 [4'-6"] AFF. PROVIDE 2-A5145'S FOR NAVY PROJECTS ONLY. MOUNT 1-A5145 AT 1372 [4'-6"] AFF AND 1-A5145 AT 1524 [5'-0"] AFF.
2. DIMENSIONS OF ROOM AND LOCATION OF EQUIPMENT MAY VARY.
3. PROVIDE A5109, GRAB BAR, THAT COMPLIES WITH ADA.
4. WALL OR FLOOR MOUNTED BENCH, 610 [2'-0"] X 1219 [4'-0"]. BENCH MAY BE HINGED.
5. 1524 [5'-0"] DIAMETER CLEAR TURNING SPACE REQUIRED BY ADA.

DRESSING ROOM/CUBICLE (DR001)

3.01.03

PRIMARY CARE/FAMILY PRACTICE

FLOOR/EQUIPMENT PLAN


4.88 NSM (53 NSF)

DATE: 01/28/2002

0 1000 2000



1:50 SCALE (MILLIMETERS)



DRESSING ROOM/CUBICLE (DROO1)

3.01.03

PRIMARY CARE/FAMILY PRACTICE

CEILING PLAN

DATE: 01/28/2002

0 1000 2000



1:50 SCALE (MILLIMETERS)

Medical Equipment Room Guide Plates

3.01 Primary Care/Family Practice

Plate Number 3.01.03
Room Name DRESSING ROOM,CUBICLE
SEPS # DR001

| JSN | Nomenclature | Qty | Army | Navy | AF | Utilities | | | | | |
|-------|---|-----|------|------|-----|-----------|---|---|---|---|---|
| | | | Cat | Cat | Cat | 1 | 2 | 3 | 4 | 5 | 6 |
| A1030 | Locker, 2 Person, Over/Under, 72x18x21 | 1 | C | C | C | . | . | . | . | . | . |
| A1080 | Mirror, Posture, Wall Mounted | 1 | A | A | A | . | . | . | . | . | J |
| A5109 | Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible | 1 | A | A | A | . | . | . | . | . | J |
| A5145 | Hook, Garment, Double, SS, Surface Mounted | 1 | A | A | A | . | . | . | . | . | J |