

KEY NOTES

1. MOUNT A5145, HOOK, AT 1372 [4'-6"] AFF.
2. INCREASE THIS DIMENSION AS NEEDED TO COMPLY WITH ADA IF THE DOOR HAS A CLOSER OR IF 610 [2'-0"] CLEARANCE IS NOT AVAILABLE AT THE STRIKE SIDE OF THE DOOR.
3. COORDINATE LOCATION OF M1620, PATIENT CHART HOLDER, AND ROOM SIGNAGE.
4. PROVIDE A5109, GRAB BARS, THAT COMPLY WITH ADA.
5. MOUNT A5145, HOOK, AT 1219 [4'-0"] AFF. PROVIDE 2-A5145'S FOR NAVY PROJECTS ONLY. MOUNT 1-A5145 AT 1219 [4'-0"] AFF AND 1-A5145 AT 1524 [5'-0"] AFF.
6. P3200, ELECTRONIC LAVATORY, MAY BE USED INSTEAD OF P3100, LAVATORY. FOR THE P3200 PROVIDE EITHER BATTERY POWER OR HARD WIRED CONNECTION.

EXAM, ISOLATION (EXGR3/TLTF2)

3.01.04

PRIMARY CARE/FAMILY PRACTICE


0 1000 2000

FLOOR/EQUIPMENT PLAN 19.92 NSM (215 NSF)



DATE: 01/28/2002

1:50 SCALE (MILLIMETERS)



EXAM, ISOLATION (EXRG3/TLTF2)

3.01.04

PRIMARY CARE/FAMILY PRACTICE


FLOOR/EQUIPMENT PLAN

DATE: 01/28/2002


0 1000 2000




1:50 SCALE (MILLIMETERS)




EAST




SOUTH



WEST (TOILET)



SOUTH (TOILET)



EAST (TOILET)

NOTES

1. SEE TYPICAL EQUIPMENT MOUNTING HEIGHTS BEGINNING ON SHEET 7.01.01.

KEY NOTES

1. MOUNT A5145, HOOK, AT 1219 [4'-0"] AFF. PROVIDE 2-A5145'S FOR NAVY PROJECTS ONLY. MOUNT 1-A5145 AT 1219 [4'-0"] AFF AND 1-A5145 AT 1524 [5'-0"] AFF.
2. P3200, ELECTRONIC LAVATORY, MAY BE USED INSTEAD OF P3100, LAVATORY. FOR THE P3200 PROVIDE EITHER BATTERY POWER OR HARD WIRED CONNECTION.
3. PROVIDE A5109, GRAB BARS, THAT COMPLY WITH ADA.

EXAM, ISOLATION (EXRG3/TLTF2)

3.01.04

PRIMARY CARE/FAMILY PRACTICE

ELEVATIONS

DATE: 01/28/2002

0 1000 2000



1:50 SCALE (MILLIMETERS)

Medical Equipment Room Guide Plates

3.01 Primary Care/Family Practice

Plate Number 3.01.04
Room Name EXAM ISOLATION
SEPS # EXRG3/TLTF2

JSN	Nomenclature	Qty	Army	Navy	AF	Utilities					
			Cat	Cat	Cat	1	2	3	4	5	6
A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	A	A	J
A1132	Rail, Accessory Mounting, Length As Required	1	C	C	C
A5075	Dispenser, Soap, Disposable	1	C	C	C
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	A	A	J
A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	1	C	A	C
A5145	Hook, Garment, Double, SS, Surface Mounted	2	A	A	A	J
A5180	Track, Cubicle, Surface Mounted, With Curtain	1	A	A	A	J
E0210	Worksurface, w/Overhead Cab, Wall Mtd, 48" W	1	C	C	C	.	A	.	.	.	J
E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	1	C	C	C
F0205	Chair, Side With Arms	1	C	C	C
F0280	Chair, Swivel, Low Back	1	C	C	C
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	2	C	C	C
F3200	Clock, Battery, 12" Diameter	1	C	C	C
M1620	Holder, Chart, Patient, Wall or Door Mounted	1	A	A	A
M1800	Computer, Microprocessing	1	C	C	C	.	A
M3072	Frame, Infectious Waste Bag w/Lid	1	C	C	C
M4040	Scale, Weighing, 300 Pound Capacity	1	C	C	C
M4100	Sphygmomanometer, Aneroid, Wall Mounted	1	C	C	C
M4200	Otoscope/Ophthalmoscope, Wall Mounted	1	C	C	C	.	A
M9020	Table, Exam, Pediatric, With Scale	1	C	C	C	.	A
M9025	Table, Examination/Treatment, With Cabinet	1	C	C	C	.	A
P3100	Lavatory, Vitreous China, Slab Type	1	A	A	A	D
X3930	Illuminator, Film, Double, Wall Mounted, 20x29x6	1	C	C	C	.	A	.	.	.	J

Medical Equipment Room Guide Plates

3.01 Primary Care/Family Practice

Plate Number 3.01.04A
Room Name EXAM ISOLATION (TOILET)
SEPS # EXRG3/TLTF2

JSN	Nomenclature	Qty	Army	Navy	AF	Utilities					
			Cat	Cat	Cat	1	2	3	4	5	6
A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	A	A	J
A4995	Table, Diaper Changing, Wall Mounted	1	A	A	A
A5075	Dispenser, Soap, Disposable	1	C	C	C
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	A	A	J
A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	1	A	A	A	J
A5145	Hook, Garment, Double, SS, Surface Mounted	1	A	A	A	J
A5165	Shelf, 5" Depth, SS, Surface Mounted	1	A	A	A	J
A5202	Dispenser, Toilet Paper w/Utility Shelf, SS, 2-Roll	1	A	A	A	J
F2010	Basket, Wastepaper, Step-On	1	C	C	C
P3000	Lavatory, Vitreous China, Straight Back	1	A	A	A	D
P9050	Toilet, Wall Hung, Siphon Jet	1	A	A	A	B