

KEY NOTES

1. MOUNT A5145, HOOK, AT 1372 [4'-6"] AFF.
2. INCREASE THIS DIMENSION AS NEEDED TO COMPLY WITH ADA IF THE DOOR HAS A CLOSER OR IF 610 [2'-0"] CLEARANCE IS NOT AVAILABLE AT THE STRIKE SIDE OF THE DOOR.
3. COORDINATE LOCATION OF M1620, PATIENT CHART HOLDER, AND ROOM SIGNAGE.
4. LENGTH OF E1500, WALL MOUNTED RAIL, TO BE DETERMINED BY MANUFACTURER/INSTALLER.
5. MOUNT A5145, HOOK, AT 1219 [4'-0"] AFF. PROVIDE 2-A5145'S FOR NAVY PROJECTS ONLY. MOUNT 1-A5145 AT 1219 [4'-0"] AFF AND 1-A5145 AT 1524 [5'-0"] AFF.
6. P3200, ELECTRONIC LAVATORY, MAY BE USED INSTEAD OF P3100, LAVATORY. FOR THE P3200 PROVIDE EITHER BATTERY POWER OR HARD WIRED CONNECTION.
7. COORDINATE LOCATIONS OF ELECTRICAL AND DATA OUTLETS WITH M1802, WALL MOUNTED, FOLD DOWN COMPUTER.

OUTPATIENT DERMATOLOGY, UV BOOTH (OPDU1) 3.15.02

SPECIALTY MEDICAL CLINICS


FLOOR/EQUIPMENT PLAN 11.15 NSM (120 NSF)

DATE: 01/28/2002

0 1000 2000



1:50 SCALE (MILLIMETERS)



**OUTPATIENT
DERMATOLOGY, UV BOOTH (OPDU1) 3.15.02**

SPECIALTY MEDICAL CLINICS


CEILING PLAN

DATE: 01/28/2002

0 1000 2000




1:50 SCALE (MILLIMETERS)



EAST

NORTH



SOUTH

NOTES

1. SEE TYPICAL EQUIPMENT MOUNTING HEIGHTS BEGINNING ON SHEET 7.01.01.

KEY NOTES

1. MOUNT A5145, HOOK, AT 1219 [4'-0"] AFF. PROVIDE 2-A5145'S FOR NAVY PROJECTS ONLY. MOUNT 1-A5145 AT 1219 [4'-0"] AFF AND 1-A5145 AT 1524 [5'-0"] AFF.
2. P3200, ELECTRONIC LAVATORY, MAY BE USED INSTEAD OF P3100, LAVATORY. FOR THE P3200 PROVIDE EITHER BATTERY POWER OR HARD WIRED CONNECTION.
3. LENGTH OF E1500, WALL MOUNTED RAIL, TO BE DETERMINED BY MANUFACTURER/INSTALLER.
4. MOUNT A5145, HOOK, AT 1372 [4'-6"] AFF.
5. COORDINATE LOCATIONS OF ELECTRICAL AND DATA OUTLETS WITH M1802, WALL MOUNTED, FOLD DOWN COMPUTER.

OUTPATIENT DERMATOLOGY, UV BOOTH (OPDU1) 3.15.02

SPECIALTY MEDICAL CLINICS

ELEVATIONS

DATE: 01/28/2002

0 1000 2000



1:50 SCALE (MILLIMETERS)

Medical Equipment Room Guide Plates

3.15 Specialty Medical Clinics

Plate Number 3.15.02
Room Name OUTPATIENT DERMATOLOGY, UV BOOTH
SEPS # OPDU1

JSN	Nomenclature	Qty	Army	Navy	AF	Utilities					
			Cat	Cat	Cat	1	2	3	4	5	6
A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	A	A	J
A5075	Dispenser, Soap, Disposable	1	C	C	C
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	A	A	J
A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	1	C	A	C
A5145	Hook, Garment, Double, SS, Surface Mounted	2	A	A	A	J
A5180	Track, Cubicle, Surface Mounted, With Curtain	1	A	A	A	J
E0906	Locker, Supply, General, Wall Mtd, 23"W x 20"D	1	C	C	C
E1500	Rail, MOD, W/MNTD, HX144XD	1	C	C	C	J
F0205	Chair, Side With Arms	1	C	C	C
F0285	Chair, Secretarial, Tilt Back, Adjustable Height	1	C	C	C
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	C	C
F3200	Clock, Battery, 12" Diameter	1	C	C	C
M1620	Holder, Chart, Patient, Wall or Door Mounted	1	A	A	A
M1802	Wall Mounted, Fold Down Computer	1	C	C	C	.	A	.	.	.	J
M3070	Hamper, Linen, Mobile, w/Lid	1	C	C	C
M3072	Frame, Infectious Waste Bag w/Lid	1	C	C	C
M7410	Exam Light, Ultraviolet (Woods)	1	C	C	C	.	A
M8190	Booth, Treatment, Ultraviolet	1	C	C	C	.	C	.	.	.	A
M8192	Booth, Treatment, Ultraviolet, Hand-Foot	1	C	C	C	.	A
P3100	Lavatory, Vitreous China, Slab Type	1	A	A	A	D